

neoGRID

acoustic ceiling grids

DESCRIPTION


neoGRID acoustic ceiling grids are installed parallel to the ceiling and add depth to your space while absorbing rogue sound waves in the room to create a quieter and more comfortable environment.

Perfectly suited for any office or conference room space or as a focal point above noisy meeting areas. Available in a variety of dimensions and configurations as well as custom fabrication.


FEATURES

- Made from 100% polyester ÜNO felt board
- Individual or modular (overlap) installation
- Open or closed perimeter
- Custom end profiles (open perimeter only)
- 5 year warranty


CONFIGURATIONS



Closed perimeter



Open perimeter




Modular, interlocking

Available w. open or closed perimeters

neoGRID Space 2

OPEN PERIMETER GRID

Space 2 acoustic grid features a 200mm design pattern. Blade height reflects openings both being spaced apart by 200mm.




SPECIFICATIONS:

Grid opening (A): 200mm (center)


Blade height (B): 200mm

Blade thickness (C): 12mm (select colors ONLY) / 18mm (all colors)


Edge overlap: 200mm




EDGE OPTIONS



SQUARE



ROUNDED CORNERS




ROUND


STANDARD DIMENSIONS

neoGRID Space 2


OPEN PERIMETER GRID




GR-S2-1212




GR-S2-1218



GR-S2-1818



GR-S2-1224




GR-S2-2424

Contact us for custom sizes. Design fees may apply.

neoGRID Space 2C

CLOSED PERIMETER GRID

Space 2 acoustic grid features a 200mm design pattern. Blade height reflects openings both being spaced apart by 200mm.




SPECIFICATIONS:


Grid opening (A): 200mm (center)

Grid height (B): 200mm


Blade thickness (C): 12mm (select colors ONLY) / 18mm (all colors)

Edge overlap: N/A







GR-S2C-1212




GR-S2C-1218



GR-S2C-1818



GR-S2C-1224



GR-S2C-2424


Contact us for custom sizes. Design fees may apply.

neoGRID Space 3

OPEN PERIMETER GRID

Space 3 acoustic grid features a 300mm design pattern. Blade height reflects openings both being spaced apart by 300mm.

Edge overlap is available in 150mm and 300mm sizes.




SPECIFICATIONS:

Grid opening (A): 300mm (center)

Blade height (B): 300mm

Blade thickness (C): 12mm (select colors ONLY) / 18mm (all colors)


Edge overlap: 150mm / 300mm




EDGE OPTIONS



SQUARE




ROUNDED CORNERS




ROUND


STANDARD DIMENSIONS




GR-S3-1212




GR-S3-1218



GR-S3-1818



GR-S3-1224




GR-S3-2424

Contact us for custom sizes. Design fees may apply.

neoGRID Space 3C

CLOSED PERIMETER GRID

Space 3C acoustic grid features a 300mm design pattern. Blade height reflects openings both being spaced apart by 300mm.




SPECIFICATIONS:


Grid opening (A): 300mm (center)

Blade height (B): 300mm


Blade thickness (C): 12mm (select colors ONLY) / 18mm (all colors)

Edge overlap: N/A







GR-S3C-1212




GR-S3C-1218



GR-S3C-1818



GR-S3C-1224



GR-S3C-2424

Contact us for custom sizes. Design fees may apply.